

## TYPO3.Setup - Bug # 54321

<b>Status:</b>	New	<b>Priority:</b>	Should have
<b>Author:</b>	Jigal van Hemert	<b>Category:</b>	
<b>Created:</b>	2013-12-11	<b>Assigned To:</b>	
<b>Updated:</b>	2013-12-11	<b>Due date:</b>	
<b>Subject:</b>	Imagine\Exception\InvalidArgumentException thrown in file Imagine.php		
<b>Description</b>	<p>Installation of Neos 1.0 on Windows Vista (XAMPP for Windows 1.8.2; Apache/2.4.7 (Win32) OpenSSL/0.9.8y PHP/5.4.22 MySQL 5.5.34; PDO, GD, etc. loaded. GraphicsMagick and ImageMagick 6 both available on the system) worked until the step of importing the demo site. This step ends with an exception:</p> <p>File resource://346826c35278804cbdef2c8804d3e37067c6cd80 doesn't exist</p> <pre> 53 Imagine\Gd\Imagine::open("resource://346826c35278804cbdef2c8804d3e37067c6cd80") 52 TYPO3\Media\Domain\Service\ImageService_Original::transformImage(TYPO3\Media\Domain\Model\Image, array 2 ) 51 call_user_func_array(array 2 , array 2 ) 50 TYPO3\Flow\Object\DependencyInjection\DependencyProxy::__call("transformImage", array 2 ) 49 TYPO3\Flow\Object\DependencyInjection\DependencyProxy::transformImage(TYPO3\Media\Domain\Model\Image, array 2 ) 48 TYPO3\Media\Domain\Model\ImageVariant_Original::initializeObject(2) 47 TYPO3\Media\Domain\Model\ImageVariant_Original::__wakeup() 46 TYPO3\Media\Domain\Model\ImageVariant::__wakeup() 45 unserialize("a:4:{s:4:"text";s:132:"&lt;img alt='...' height='199' width='71' title='...' /&gt;&lt;p&gt;This is a tex...;i:199;s:6:"height";i:71;}}}}s:5:"title";s:0:"";}") 44 Doctrine\DBAL\Types\ArrayType::convertToPHPValue("a:4:{s:4:"text";s:132:"&lt;img alt='...' height='199' width='71' title='...' /&gt;&lt;p&gt;This is a tex...;i:199;s:6:"height";i:71;}}}}s:5:"title";s:0:"";", Doctrine\DBAL\Platforms\MySQLPlatform) 43 TYPO3\Flow\Persistence\Doctrine\DataTypes\ObjectArray_Original::convertToPHPValue("a:4:{s:4:"text";s:132:"&lt;img alt='...' height='199' width='71' title='...' /&gt;&lt;p&gt;This is a tex...;i:199;s:6:"height";i:71;}}}}s:5:"title";s:0:"";", Doctrine\DBAL\Platforms\MySQLPlatform) 42 Doctrine\ORM\Internal\Hydration\AbstractHydrator::gatherRowData(array 17 , array 17 , array 1 , array 1 ) 41 Doctrine\ORM\Internal\Hydration\ObjectHydrator::hydrateRowData(array 17 , array 17 , array 13 ) 40 Doctrine\ORM\Internal\Hydration\ObjectHydrator::hydrateAllData() 39 Doctrine\ORM\Internal\Hydration\AbstractHydrator::hydrateAll(Doctrine\DBAL\Driver\PDOSStatement, Doctrine\ORM\Query\ResultSetMapping, array 0 ) 38 Doctrine\ORM\AbstractQuery::execute(NULL, 1) 37 Doctrine\ORM\AbstractQuery::getResult() 36 TYPO3\Flow\Persistence\Doctrine\Query_Original::getResult() </pre>		

35 TYPO3\Flow\Persistence\Doctrine\QueryResult\_Original::initialize()  
34 TYPO3\Flow\Persistence\Doctrine\QueryResult\_Original::rewind()  
33 TYPO3\Flow\Persistence\Repository::removeAll()  
32 call\_user\_func\_array(array|2|, array|0|)  
31 TYPO3\Flow\Object\DependencyInjection\DependencyProxy::\_\_call("removeAll", array|0|)  
30 TYPO3\Flow\Object\DependencyInjection\DependencyProxy::removeAll()  
29 TYPO3\Neos\Setup\Step\SiteImportStep\_Original::importSite(TYPO3\Form\Core\Model\FinisherContext)  
28 TYPO3\Neos\Setup\Step\SiteImportStep\_Original::TYPO3\Neos\Setup\Step\{closure}(TYPO3\Form\Core\Model\FinisherContext)  
27 TYPO3\Form\Finishers\ClosureFinisher\_Original::executeInternal()  
26 TYPO3\Form\Core\Model\AbstractFinisher::execute(TYPO3\Form\Core\Model\FinisherContext)  
25 TYPO3\Form\Core\Runtime\FormRuntime\_Original::invokeFinishers()  
24 TYPO3\Form\Core\Runtime\FormRuntime\_Original::render()  
23 TYPO3\Setup\Controller\SetupController\_Original::indexAction(2)  
22 TYPO3\Setup\Controller\SetupController::indexAction(2)  
21 call\_user\_func\_array(array|2|, array|1|)  
20 TYPO3\Setup\Controller\SetupController::Flow\_Aop\_Proxy\_invokeJoinPoint(TYPO3\Flow\Aop\JoinPoint)  
19 TYPO3\Flow\Aop\Advice\AdviceChain::proceed(TYPO3\Flow\Aop\JoinPoint)  
18 TYPO3\Flow\Security\Aspect\PolicyEnforcementAspect\_Original::enforcePolicy(TYPO3\Flow\Aop\JoinPoint)  
17 TYPO3\Flow\Aop\Advice\AroundAdvice::invoke(TYPO3\Flow\Aop\JoinPoint)  
16 TYPO3\Flow\Aop\Advice\AdviceChain::proceed(TYPO3\Flow\Aop\JoinPoint)  
15 TYPO3\Setup\Controller\SetupController::indexAction(2)  
14 call\_user\_func\_array(array|2|, array|1|)  
13 TYPO3\Flow\Mvc\Controller\ActionController\_Original::callActionMethod()  
12 TYPO3\Flow\Mvc\Controller\ActionController\_Original::processRequest(TYPO3\Flow\Mvc\ActionRequest, TYPO3\Flow\Http\Response)  
11 TYPO3\Flow\Mvc\Dispatcher\_Original::dispatch(TYPO3\Flow\Mvc\ActionRequest, TYPO3\Flow\Http\Response)  
10 TYPO3\Flow\Mvc\Dispatcher::dispatch(TYPO3\Flow\Mvc\ActionRequest, TYPO3\Flow\Http\Response)

```
9 call_user_func_array(array|2|, array|2|)
8 TYPO3\Flow\Mvc\Dispatcher::Flow_Aop_Proxy_invokeJoinPoint(TYPO3\Flow\Aop\JoinPoint)
7 TYPO3\Flow\Aop\Advice\AdviceChain::proceed(TYPO3\Flow\Aop\JoinPoint)
6
TYPO3\Flow\Security\Aspect\RequestDispatchingAspect_Original::blockIllegalRequestsAndForwardToAuthenticationEntryPoints(TYPO
O3\Flow\Aop\JoinPoint)
5 TYPO3\Flow\Aop\Advice\AroundAdvice::invoke(TYPO3\Flow\Aop\JoinPoint)
4 TYPO3\Flow\Aop\Advice\AdviceChain::proceed(TYPO3\Flow\Aop\JoinPoint)
3 TYPO3\Flow\Mvc\Dispatcher::dispatch(TYPO3\Flow\Mvc\ActionRequest, TYPO3\Flow\Http\Response)
2 TYPO3\Setup\Core\RequestHandler::handleRequest()
1 TYPO3\Flow\Core\Bootstrap::run()
```

Used Git Bash (from Git for Windows) to execute the command line actions specified on <http://neos.typo3.org/download.html>

---

## History