TYPO3.Flow - Bug # 54453

Status:	Resolved	Priority:	Should have
Author:	Bastian Waidelich	Category:	Http
Created:	2013-12-16	Assigned To:	Bastian Waidelich
Updated:	2014-07-11	Due date:	
PHP Version:	2014-07-11	Due date.	
Has patch:	No		
Complexity:			
Affected Flow ve	rsion: (any)		
Subject:		K-Forwarded-Proto headers cons	sistently
Description			bisteritiy
Description			
	currently only checks the X-Forward	ed-Proto beader in isSecure()	But it fails to verify it correctly and it ignores th
	ning the URI from the current request:		but it fails to verify it correctly and it ignores th
Given:	ing the Ori nom the current request.		
Siven.			
CET http://aom	ne.com:8080 HTTP/1.1		
X-Forwarded-F			
X-Forwarded-F	-		
A-Forwarded-r	-011. 443		
1(string)\$curre	ntHttpRequest->getUri();		
EXPECTED: https://			
ACTUAL: <u>http://ac</u>	<u>me.com:8080</u>		
Related issues:			
related to TYPO3.Ne	eos - Bug # 54435: Absolute URIs in Ext.D	irect requests do	Closed 2013-12-15
related to TYPO3.Ne	eos - Bug # 54435: Absolute URIs in Ext.D	irect requests do	Closed 2013-12-15
		irect requests do	Closed 2013-12-15
Associated revis		irect requests do	Closed 2013-12-15
Associated revis	ions	irect requests do	Closed 2013-12-15
Associated revis Revision ca7d52f5	ions	irect requests do	Closed 2013-12-15
Associated revis Revision ca7d52f5	ions - 2013-12-16 14:44 - Bastian Waidelich	irect requests do	Closed 2013-12-15
Associated revis Revision ca7d52f5 [BUGFIX] Respect X	ions - 2013-12-16 14:44 - Bastian Waidelich		Closed 2013-12-15
Associated revis Revision ca7d52f5 [BUGFIX] Respect X The ``Http\Request``	ions - 2013-12-16 14:44 - Bastian Waidelich <-Forwarded-Proto header consistently ` currently only considers ``X-Forwarded-P		Closed 2013-12-15
Associated revis Revision ca7d52f5 [BUGFIX] Respect X The ``Http\Request``	ions - 2013-12-16 14:44 - Bastian Waidelich <-Forwarded-Proto header consistently ` currently only considers ``X-Forwarded-P		Closed 2013-12-15
Associated revis Revision ca7d52f5 [BUGFIX] Respect X The ``Http\Request`` headers in its isSecu	ions - 2013-12-16 14:44 - Bastian Waidelich (-Forwarded-Proto header consistently ` currently only considers ``X-Forwarded-P ure() method.	Proto``	Closed 2013-12-15
Associated revis Revision ca7d52f5 [BUGFIX] Respect X The ``Http\Request`` headers in its isSecu With this change the	ions - 2013-12-16 14:44 - Bastian Waidelich C-Forwarded-Proto header consistently Currently only considers ``X-Forwarded-P ure() method.	Proto``	Closed 2013-12-15
Associated revis Revision ca7d52f5 [BUGFIX] Respect X The ``Http\Request`` headers in its isSecu	ions - 2013-12-16 14:44 - Bastian Waidelich C-Forwarded-Proto header consistently Currently only considers ``X-Forwarded-P ure() method.	Proto``	Closed 2013-12-15
Associated revis Revision ca7d52f5 [BUGFIX] Respect X The ``Http\Request`` headers in its isSecu With this change the overrules the reques	ions - 2013-12-16 14:44 - Bastian Waidelich C-Forwarded-Proto header consistently Currently only considers ``X-Forwarded-P ure() method.	Proto``	Closed 2013-12-15
Associated revis Revision ca7d52f5 [BUGFIX] Respect X The ``Http\Request`` headers in its isSecu With this change the overrules the reques Before::	ions - 2013-12-16 14:44 - Bastian Waidelich C-Forwarded-Proto header consistently Currently only considers ``X-Forwarded-P ure() method. Theader is checked in the constructor so the sted protocol if set.	Proto``	Closed 2013-12-15
Associated revis Revision ca7d52f5 [BUGFIX] Respect X The ``Http\Request`` headers in its isSecu With this change the overrules the reques Before::	ions - 2013-12-16 14:44 - Bastian Waidelich (-Forwarded-Proto header consistently ` currently only considers ``X-Forwarded-P ure() method. • header is checked in the constructor so the sted protocol if set.	Proto``	Closed 2013-12-15

X-Forwarded-Port: 443

Generated URIs like ``<u>http://acme.com:8080</u>``. With this change the result is ``<u>https://acme.com</u>``.

Change-Id: lf12eee73208b29049d543a9563a3b42161b1f024 Fixes: #54453 Releases: 2.0, master

Revision a5c33983 - 2014-01-16 10:49 - Bastian Waidelich

[BUGFIX] Respect X-Forwarded-Proto header consistently

The ``Http\Request`` currently only considers ``X-Forwarded-Proto`` headers in its isSecure() method.

With this change the header is checked in the constructor so that it overrules the requested protocol if set.

Before::

GET <u>http://acme.com:8080</u> HTTP/1.1 X-Forwarded-Proto: https X-Forwarded-Port: 443

Generated URIs like ``<u>http://acme.com:8080</u>``. With this change the result is ``<u>https://acme.com</u>``.

Change-Id: If12eee73208b29049d543a9563a3b42161b1f024 Fixes: #54453 Releases: 2.0, 2.1, master

History

#1 - 2013-12-16 14:44 - Gerrit Code Review

- Status changed from Accepted to Under Review

Patch set 1 for branch **master** of project **Packages/TYPO3.Flow** has been pushed to the review server. It is available at https://review.typo3.org/26450

#2 - 2013-12-17 16:36 - Bastian Waidelich

- Status changed from Under Review to Resolved
- % Done changed from 0 to 100

Applied in changeset commit:ca7d52f5f458f8191980ec41f9df21fb495286f1.

#3 - 2014-01-16 10:49 - Gerrit Code Review

- Status changed from Resolved to Under Review

Patch set 1 for branch **2.1** of project **Packages/TYPO3.Flow** has been pushed to the review server. It is available at https://review.typo3.org/26868

2015-08-04

#4 - 2014-07-11 20:19 - Bastian Waidelich

- Status changed from Under Review to Resolved

Applied in changeset commit:a5c3398363278a2c28fd67f4edca58f448c420a1.