

Core - Feature # 54850

Status:	Rejected	Priority:	Should have
Author:	Michael Stucki	Category:	
Created:	2014-01-08	Assigned To:	
Updated:	2014-09-01	Due date:	
PHP Version:			
Complexity:			
Sprint Focus:			
Subject:	Set REMOTE_ADDR even when in CLI mode		
Description			
In CLI mode, the REMOTE_ADDR is empty, which can lead to unexpected results (see #54849). While #54849 provides a simple workaround for one problem, the REMOTE_ADDR should be set to a default value even in CLI mode.			
Related issues:			
related to Core - Bug # 54849: Functional tests cannot write to backend log		Resolved	2014-01-08

History

#1 - 2014-01-08 21:55 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 1 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at <https://review.typo3.org/26699>

#2 - 2014-02-17 17:57 - Markus Klein

Why is this related to #53662?

#3 - 2014-02-17 23:13 - Michael Stucki

Markus Klein wrote:

| Why is this related to #53662?

No idea. I removed the relation now.

#4 - 2014-09-01 18:54 - Michael Stucki

- Status changed from Under Review to Rejected

I've abandoned this change. See comments in Gerrit: <https://review.typo3.org/#/c/26699/>