

Core - Task # 55942

Status:	Resolved	Priority:	Should have
Author:	Benjamin Mack	Category:	Frontend
Created:	2014-02-12	Assigned To:	Benjamin Mack
Updated:	2014-06-03	Due date:	
TYPO3 Version:	6.2		
PHP Version:			
Complexity:			
Sprint Focus:			
Subject:	More robust way of appending TypoScript to contentrendering templates		
Description			
<p>If an extension used static content ID 43 (content default), it also added itself (during each runtime of ext_localconf.php) to all available content blocks.</p> <p>This is now more confusing as the package manager resolves the ordering of extensions and now, CSS Styled Content gets loaded after felogin and indexed_search.</p> <p>To resolve this problem completely, the additional TypoScript for each "contentRenderingTemplate", a TS template that provides default content renderings, is added to one global default TypoScript and is only merged at the TemplateService class.</p> <p>Therefore the extension loading ordering does not matter anymore.</p>			
Related issues:			
related to Core - Bug # 56570: No rendering definition for CE / no list for p...		Closed	2014-03-05
related to Core - Bug # 59318: Loading css_styled_content TS using INCLUDE_TY...		Resolved	2014-06-03
related to Core - Bug # 67116: Plugin templates are always loaded twice!?		Resolved	2015-05-23

Associated revisions

Revision 3ce53655 - 2014-03-03 20:17 - Benjamin Mack

[TASK] Make TS content templates more flexible

If an extension used static content ID 43 (content default), it also added itself (during each runtime of ext_localconf.php) to all available content blocks.

The original way is problematic as an extension that provides content templates may be included after an extension that wants to add itself after all content templates.

This is now more confusing as the package manager resolves the ordering of extensions and now, CSS Styled Content gets loaded after felogin and indexed_search.

To resolve this problem completely, the additional TypoScript for each "contentRenderingTemplate", a TS template that provides default content renderings, is added to one global default TypoScript and is only merged at the TemplateService class.

Therefore the extension loading ordering does not matter anymore.

Resolves: #55942

Resolves: #55174

Resolves: #55557

Releases: 6.2

Change-Id: Id0c983bf96a3a76fde2183c57a17066ef8fd4ac8

Reviewed-on: <https://review.typo3.org/27587>

Reviewed-by: Stefan Neufeind

Tested-by: Stefan Neufeind

History

#1 - 2014-02-12 18:26 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 1 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at <https://review.typo3.org/27587>

#2 - 2014-02-14 17:35 - Gerrit Code Review

Patch set 2 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at <https://review.typo3.org/27587>

#3 - 2014-02-17 16:31 - Gerrit Code Review

Patch set 3 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at <https://review.typo3.org/27587>

#4 - 2014-03-03 20:14 - Gerrit Code Review

Patch set 4 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at <https://review.typo3.org/27587>

#5 - 2014-03-03 20:30 - Benjamin Mack

- Status changed from Under Review to Resolved

- % Done changed from 0 to 100

Applied in changeset commit:3ce53655a3739dadd732556e1902e7686ef59260.

#6 - 2014-06-03 18:45 - Marc Bastian Heinrichs

Regression: #59318