

Core - Task # 56792

Status:	New	Priority:	Should have
Author:	Oliver Hader	Category:	Unit/Functional Tests
Created:	2014-03-11	Assigned To:	
Updated:	2015-01-26	Due date:	
TYPO3 Version:	6.2		
PHP Version:	5.3		
Complexity:			
Sprint Focus:	On Location Sprint		
Subject:	Enhance assertion of error log entries		
Description			
<p>During the action tests it might happen, that errors occur. To assert expected or unexpected error log entries in the sys_log table, this functionality shall be added to the functional testing framework.</p> <p>The current implementation just checks the amount of entries, which should be "0" in most cases - which is a bit weak to be considered as complete assertion.</p> <p>Peter Niederlag shared some ideas during the review process which shall be part of a separate follow-up change.</p> <pre>// set by freezeErrorId() and used by assertErrorLogCreated() protected \$frozenErrorId = NULL; // freeze ErrorLog protected freezeErrorLog() { if \$this->latestErrorId !== NULL { raise Exception('errorLog already frozen, use assertErrorLogCreated() before freezing again') } \$this->latestErrorId = sqlfetchIdofLatestErrorbyTimestamp(); } assertErrorLogsCreated(\$expectedCount = 1, \$detailPatterns = array()) { // check/warning on frozenErrorId (should be called prior to this assertion) // check if there are \$expectedCount new errorLogs (id > this->frozenErrorId) // optionally check with regex // finally reset frozenErrorId \$this->frozenErrorId = NULL; } (find discussion here https://review.typo3.org/#/c/27886/2/typo3/sysex/core/Tests/Functional/DataHandling/AbstractDataHandlerActionTestCase.php,unified)</pre>			
Related issues:			
related to Core - Task # 56369: Add possibility to assert error log entries		Resolved	2014-02-27

History

#1 - 2015-01-24 22:14 - Mathias Schreiber

- Target version set to 7.5

#2 - 2015-01-26 14:58 - Anja Leichsenring

- Sprint Focus set to On Location Sprint