

TYPO3.Flow - Bug # 57374

Status:	New	Priority:	Should have
Author:	Aimo Künkel	Category:	Session
Created:	2014-03-27	Assigned To:	
Updated:	2014-04-03	Due date:	
PHP Version:			
Has patch:	No		
Complexity:	easy		
Affected Flow version: (any)			
Subject:	Persisted entities saved in session are not resolved		
Description			
<p>If you save a persisted entity in the session via</p> <pre>\$this->session->putData("myEntity", \$myEntity);</pre> <p>it is saved like some normal entity.</p> <p>So later on if you do</p> <pre>\$sessionEntity = \$this->session->getData("myEntity"); \$persistedEntity = \$this->entityRepository->findByIdentifier(\$sessionEntity->getIdentifier()); \TYPO3\Flow\var_dump(\$sessionEntity); \TYPO3\Flow\var_dump(\$persistedEntity); \TYPO3\Flow\var_dump(\$sessionEntity === \$persistedEntity); die();</pre> <p>it show you twice the same object, but it's not the same.</p> <p>It should instead just save the id in the background and fetch it again from the repo in case of a persisted entity. Otherwise it's impossible to work with, because you e.g. can't pass it to the repo for updating and so on.</p> <p>I'll provide a patch if wished, just comment please.</p>			

History
