

## Core - Bug # 60352

<b>Status:</b>	Closed	<b>Priority:</b>	Should have
<b>Author:</b>	Tobias Eichelberger	<b>Category:</b>	File Abstraction Layer (FAL)
<b>Created:</b>	2014-07-16	<b>Assigned To:</b>	
<b>Updated:</b>	2015-06-30	<b>Due date:</b>	
<b>TYPO3 Version:</b>	6.2		
<b>PHP Version:</b>			
<b>Complexity:</b>	easy		
<b>Is Regression:</b>	No		
<b>Sprint Focus:</b>			
<b>Subject:</b>	Configuration caseSensitive for sys_file_storage has wrong behaviour		
<b>Description</b>			
<p>Hello TYPO3-Team!</p> <p>If I uncheck the FlexForm-Configuration "caseSensitive" for the sys_file_storage fileadmin on PageID<sup>0</sup>, TYPO3 <b>still</b> creates CaseSensitive folders. E.g. "testMe" -&gt; "testMe", which is wrong.</p> <p>In addition to that, when I want to read the filelist with the filelist-module, the value of the \$folderIdentifier (TYPO3, 6.2.4 TYPO3\CMS\Core\Resource\Driver\LocalDriver:268) will be set to strtolower, which leads to the thrown exception in line 272 (because \$folderIdentifier['testme'] != physical folder['testMe']).</p> <p>To fix this problem, the TYPO3 createFolder-routine should check this configuration too and set the given value to strtolower, too, before creating the new folder.</p> <p>Otherwise it is not possible to configure Non-CaseSensitive folders for editors on a caseSensitive System.</p> <p>Best regards,</p> <p>Tobi</p>			
<b>Related issues:</b>			
related to Core - Bug # 64617: Don' change configuration of filestorage if fi...		<b>Accepted</b>	<b>2015-01-29</b>

### History

#### #1 - 2014-07-16 09:37 - Markus Klein

Hi Tobias,

thanks for your detailed report.

Can you push a patch to our review system?

Infos here: <http://wiki.typo3.org/CWT>

Thanks

#### #2 - 2014-07-25 17:51 - Wouter Wolters

- Assigned To deleted (TYPO3 Release Team)

#### #3 - 2015-01-31 16:46 - Ingo Schmitt

- Category changed from Backend API to File Abstraction Layer (FAL)

- Sprint Focus set to On Location Sprint

**#4 - 2015-01-31 17:52 - Ingo Schmitt**

*- Status changed from New to In Progress*

**#5 - 2015-01-31 18:56 - Stephan Großberndt**

So your usecase is you have a case-sensitive filesystem and want it to act as a case-insensitive filesystem in that way everything gets created in lowercase. But this is not how it is meant to be used (at least currently).

Case insensitivity means you cannot create a "test-casesensitive" folder next to a "test-caseSensitive" folder on a case-insensitive filesystem.

But if you create a folder on a case-insensitive filesystem as "test-caseSensitive" it will still be created as "test-caseSensitive" and not as "test-casesensitive".

**#6 - 2015-01-31 18:58 - Stephan Großberndt**

What I see as a bug here is that TYPO3 file list displays a folder created as "test-caseSensitive" from within TYPO3 as "test-casesensitive", while it is correctly created as "test-caseSensitive" in the filesystem.

Case-insensitive does not mean "make everything lowercase". The files being put into fileadmin might be uploaded by (s)ftp and contain upper and lower chars. so you cannot be sure there are only lowercase letters in file- and foldernames.

So TYPO3 should not display files and folders in the backend with strtolower() even for case-insensitive filesystems. But in fileExists() functions and the like the compare has to be done with strtolower(). Btw. maybe mb\_strtolower should be used.

**#7 - 2015-01-31 21:01 - Philipp Gampe**

Must use mb\_strtolower. IMHO the reported behavior is expected. The settings should match the file system and is not an "option".

**#8 - 2015-02-08 20:39 - Frans Saris**

*- Status changed from In Progress to Accepted*

**#9 - 2015-03-24 22:56 - Markus Klein**

*- Status changed from Accepted to Needs Feedback*

*- Target version deleted (next-patchlevel)*

*- % Done changed from 10 to 0*

*- Sprint Focus deleted (On Location Sprint)*

I agree that I obviously understood the ticket wrong some month ago. I agree that "caseSensitive" settings is not meant as a feature, but rather it describes the underlying system. So you tell TYPO3 CMS what kind of storage it has to deal with.

Additionally I agree with Stephan that CMS shouldn't display any file name with strtolower. Please create a new ticket for that.

I propose to reject this ticket.

**#10 - 2015-06-30 16:51 - Alexander Opitz**

*- Status changed from Needs Feedback to Closed*

No feedback within the last 90 days => closing this issue.

If you think that this is the wrong decision or experience this issue again, then please write to the mailing list [typo3.teams.bugs](mailto:typo3.teams.bugs) with issue number and an explanation or open a new ticket and add a relation to this ticket number.