TYPO3.Flow - Feature # 6120

Status: Resolved Priority: Should have

Author: Karsten Dambekalns Category: Persistence

Created: 2010-01-20 Assigned To: Karsten Dambekalns
Updated: 2010-10-20 Due date:

PHP Version:
Has patch:
Complexity:

Subject: Re-implement lazy loading in persistence...

Description

We need a replacement for the lazy loading that is gone with alpha 7.

This time build it in a way that makes it really transparent (so that you don't need to take LazyLoadingProxy instances into account).

Related issues:

related to TYPO3.Flow - Major Feature # 6267: Speed up persistence

Blocks TYPO3.Flow - Feature # 3337: Allow to count lazy-loaded objects withou...

Resolved

2010-01-18

2009-05-16

Associated revisions

Revision 6027ad2b - 2010-03-11 21:07 - Karsten Dambekalns

[+FEATURE] FLOW3 (Persistence): Reimplemented lazy loading, resolves #6120. See updated manual for details.

[+FEATURE] FLOW3 (Persistence): Lazy loaded SpIObjectStorage can now be counted without triggering activation, resolves #3337.

[~API] FLOW3 (Persistence): Moved the BackendInterface into the Backend namespace.

[-API] FLOW3 (Persistence): Removed the DataMapperInterface. Backends should follow the defined data structure.

 $[{\sim}\mathsf{TASK}]\ \mathsf{FLOW3}\ (\mathsf{Persistence}) \\ : \mathsf{Optimized}\ \mathsf{clean}\ \mathsf{data}\ \mathsf{handling}\ \mathsf{while}\ \mathsf{dirty}\ \mathsf{checking},\ \mathsf{reducing}\ \mathsf{memory}\ \mathsf{usage}.$

History

#1 - 2010-03-09 17:33 - Robert Lemke

- % Done changed from 0 to 90
- Estimated time set to 22.00

#2 - 2010-03-11 22:00 - Karsten Dambekalns

- Status changed from Accepted to Resolved
- % Done changed from 90 to 100

Applied in changeset r3930.

2015-08-03 1/1