

TYPO3.Flow - Feature # 6177

Status:	Resolved	Priority:	Should have
Author:	Karsten Dambekalns	Category:	Persistence
Created:	2010-01-22	Assigned To:	Karsten Dambekalns
Updated:	2010-10-20	Due date:	
PHP Version:			
Has patch:			
Complexity:			
Subject:	Implement CRUD hooks in persistence		
Description			
We need some hooks to react on persistence events, e.g. to remove a resource file if the related value object is eventually deleted.			

Associated revisions

Revision b3a62e78 - 2010-01-27 18:32 - Karsten Dambekalns

[~TASK] FLOW3 (Core): When setting up signal/slot wiring do not rely on the YAML parser returning true booleans in the specific case at hand.

[~TASK] FLOW3 (Monitor): Renamed \$signalSlotDispatcher to \$signalDispatcher like in other classes.

[+FEATURE] FLOW3 (Persistence): added signals when persisting new and updated objects and when removing objects, resolves #6177.

[~TASK] FLOW3 (Resource): Moved some work from the ResourceObjectConverter to the ResourceManager when importing uploaded files.

[+API] FLOW3 (Resource): added deleteResource() to ResourceManager to remove persisted resources.

History

#1 - 2010-01-25 14:17 - Karsten Dambekalns

- Start date changed from 2010-01-22 to 2010-01-25

#2 - 2010-01-27 19:00 - Karsten Dambekalns

- Status changed from Accepted to Resolved

- % Done changed from 0 to 100

Applied in changeset r3769.