Core - Bug # 63991

Status: Resolved Priority: Should have

Author: Armin Ruediger Vieweg Category: File Abstraction Layer (FAL)

 Created:
 2014-12-19
 Assigned To:

 Updated:
 2015-03-10
 Due date:

TYPO3 Version: 6.2

PHP Version: Complexity:

Is Regression: No

Sprint Focus:

Subject: FAL override checkboxes are always active, when DBAL is installed

Description

In backend module "Filelist" you are able to set meta informations for any files. When inserting a file to content you are also able to override some meta informations (Title, Alt, Description) for this single use.

When DBAL is active the checkboxes 'Override "Default Value"?' are always active, even if the input below is empty:

2014-12-19_1456.png

This also affects the frontend and API. When you try to output eg. the "title" using the method

TYPO3\CMS\Core\Resource\FileReference->getProperty() it is empty, because of set checkbox in backend and empty input field. If you fill in the value, then you will get it. But the default value, filled in Filelist module is not available, at all.

This bug seams to appear when saving the relation. Because when you have DBAL deactivated and add a file to content, and then activate DBAL, this problem does not appear (checkboxes keep as set before). Even when updating the relation after DBAL has been installed again this problem does not appear. It just appears for new relations, apparently.

Related issues:

related to Core - Bug # 53662: DatabaseConnection INSERTquery does not allow ... Resolved 2013-11-15

Associated revisions

Revision a1ca5180 - 2015-03-10 15:25 - Armin Ruediger Vieweg

[BUGFIX] DBAL: Set allowNull for insert and update queries to TRUE

When DBAL is installed, it was not possible to save NULL values to database, but TCA fields with mode=useOrOverridePlaceholder fields strongly requires this. Without the possibility to store NULL to database, "useOrOverridePlaceholder" would always override the original value.

Resolves: #63991 Releases: master, 6.2

Change-Id: I23cd221431ba9d00e588942bc7c7030e9af805dc

Reviewed-on: http://review.typo3.org/36545

Reviewed-by: Mathias Schreiber <<u>mathias.schreiber@wmdb.de</u>>
Tested-by: Mathias Schreiber <<u>mathias.schreiber@wmdb.de</u>>
Reviewed-by: Jigal van Hemert <<u>jigal.van.hemert@typo3.org</u>>
Tested-by: Jigal van Hemert <<u>jigal.van.hemert@typo3.org</u>>

2015-08-04 1/3

Revision 6f626320 - 2015-03-10 15:29 - Armin Ruediger Vieweg

[BUGFIX] DBAL: Set allowNull for insert and update queries to TRUE

When DBAL is installed, it was not possible to save NULL values to database, but TCA fields with mode=useOrOverridePlaceholder fields strongly requires this. Without the possibility to store NULL to database, "useOrOverridePlaceholder" would always override the original value.

Resolves: #63991 Releases: master, 6.2

Change-Id: I23cd221431ba9d00e588942bc7c7030e9af805dc

Reviewed-on: http://review.typo3.org/37701

Reviewed-by: Jigal van Hemert < <u>iigal.van.hemert@typo3.org</u>>
Tested-by: Jigal van Hemert < <u>iigal.van.hemert@typo3.org</u>>

History

#1 - 2014-12-19 15:41 - Marc Bastian Heinrichs

Seems like DBAL doesn't like the NULL value for the fields, which was introduced for this feature.

#2 - 2014-12-19 16:19 - Andreas Fernandez

Which DBMS do you use with DBAL?

#3 - 2014-12-19 16:53 - Armin Ruediger Vieweg

Andreas Fernandez wrote:

Which DBMS do you use with DBAL?

mysqli. We just use DBAL to define a different database for several tables.

#4 - 2015-01-31 19:49 - Armin Ruediger Vieweg

The call of **fullQuoteArray(\$row, \$table, \$no_quote_fields)**; looks typically like this in DBAL. The fourth parameter **\$allowNull** will never be set. Its default is FALSE. That is the reason why NULL is always replaced by empty string.

Therefore all fields using mode=useOrOverridePlaceholder will fail, if DBAL is installed.

#5 - 2015-01-31 23:05 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 1 for branch master of project Packages/TYPO3.CMS has been pushed to the review server.

It is available at http://review.typo3.org/36545

2015-08-04 2/3

#6 - 2015-03-10 15:27 - Gerrit Code Review

 $Patch\ set\ 1\ for\ branch\ \textbf{TYPO3_6-2}\ of\ project\ \textbf{Packages/TYPO3.CMS}\ has\ been\ pushed\ to\ the\ review\ server.$

It is available at http://review.typo3.org/37701

#7 - 2015-03-10 15:30 - Armin Ruediger Vieweg

- Status changed from Under Review to Resolved
- % Done changed from 0 to 100

Applied in changes et commit: a1ca 5180 d383 c7 daf 9f 1511474 2048 568 ff c913 b.

Files

2014-12-19_1456.png 28.4 kB 2014-12-19 Armin Ruediger Vieweg

2015-08-04 3/3