TYPO3.Fluid - Feature # 7203

Status:	Resolved	Priority:	Should have
Author:	Michael Sauter	Category:	Core
Created:	2010-04-10	Assigned To:	
Updated:	2011-05-06	Due date:	
Has patch:		•	
Subject:	Object accessor could work	for associative arrays	
Description			
n			
I'm not exactly si	ure if this is a bug or a missing featu	re:	
The manual (<u>http</u>	o://flow3.typo3.org/documentation/m	anuals/fluid/fluid.usermanual/#d0e	e161) states that it is possible to traverse
associative array	vs with the object accessor syntax.		
I thought it should	d be used like this (correct my if I'm	mietakon):	
•	" => array('baz' => 'value'));		
\$this->view->ass	••• ••		
And in Fluid:	sign(100, \$100),		
{foo.bar.baz}			
Which would res	ult in:		
value			
This does not wo	ork though (r4040). The problem see	ems to be in Parser/SyntaxTree/Ob	ojectAccessorNode.php. There, either the
property of an ob	pject is resolved or the variable is dir	ectly returned.	
Applied patch ac	lds the functionality to traverse asso	ciative arrays. It's probably not the	e cleanest solution though
Related issues:			

History

#1 - 2010-04-16 13:27 - Karsten Dambekalns

- Status changed from New to Accepted
- Assigned To set to Sebastian Kurfuerst
- % Done changed from 0 to 50

For Fluid 4.x the fix for #6390 has to be applied to Extbase.

#2 - 2010-06-18 10:12 - Sebastian Kurfuerst

- Assigned To deleted (Sebastian Kurfuerst)

#3 - 2011-05-06 10:26 - Sebastian Kurfuerst

- Status changed from Accepted to Resolved

resolved.