### **TYPO3.Flow - Task # 7719**

Status:ResolvedPriority:Must haveAuthor:Karol GusakCategory:I18nCreated:2010-05-09Assigned To:Karol GusakUpdated:2010-10-20Due date:

Sprint:
PHP Version:
Has patch:
Complexity:

Subject: Implement Locale class

Description

Locale class is a base for all i18n / I10n functionality in FLOW3. There already exists simple Locale class, so it should be used.

**Related issues:** 

related to TYPO3.Flow - Bug # 6628: Default values in F3\FLOW3\Locale\Locale Resolved

## History

#### #1 - 2010-05-09 17:18 - Karol Gusak

- Priority changed from Should have to Must have

#### #2 - 2010-05-14 22:08 - Karol Gusak

- % Done changed from 0 to 10

The Locale class was changed a little in Revision 4308. Default values were removed (all fields are now NULL by default), and convenient \_\_toString() method was added. This class will be extended successfully during the implementation of features related to Locale, if/when there will be such need.

#### #3 - 2010-05-21 19:23 - Karol Gusak

- Status changed from New to Accepted

#### #4 - 2010-08-15 21:37 - Karol Gusak

- Status changed from Accepted to Resolved
- % Done changed from 10 to 100

# #5 - 2010-08-18 10:47 - Karsten Dambekalns

- Target version set to 1.0 alpha 11

2015-08-03 1/1