

TYPO3.Fluid - Bug # 8535

Status:	Resolved	Priority:	Must have
Author:	Balisky Christophe	Category:	
Created:	2010-06-28	Assigned To:	Bastian Waidelich
Updated:	2010-10-20	Due date:	
Has patch:			
Affected Flow version:			
Subject: CheckBoxViewHelper hidden value creates extra data when using multi-valued field names			
Description			
In fluid 1.2.0			
When creating multiple edit grids (in tables for examples) I use the following syntax to retrieve an array of values to update in my form :			
<pre> <f:for each="{articles}" as="article"> <f:form.checkbox name="articles[]" value="{article.uid}" /> </f:for> </pre>			
But the new hidden field created to manage empty values actually adds a new entry in the articles array I receive.			
This is a regression from previous versions of fluid.			
The actual hidden field solution is only valid if uses with mono-valued fields.			

Associated revisions

Revision [b71ce346](#) - 2010-07-19 22:55 - Bastian Waidelich

[+BUGFIX] Fluid (ViewHelpers): Now, it is possible to "unselect" checkboxes and multiselect fields in editing forms. This fixes #5638. This fixes #8535. This fixes #6897 (improved forwardport from Fluid extension r2346)

History

#1 - 2010-07-13 18:25 - Bastian Waidelich

- Project changed from Extbase MVC Framework to TYPO3.Fluid
- Status changed from New to Accepted
- Assigned To set to Bastian Waidelich

#2 - 2010-07-19 23:00 - Bastian Waidelich

- Status changed from Accepted to Resolved
- % Done changed from 0 to 100

Applied in changeset r4874.