# **TYPO3.Neos - Task # 8630**

Story # 8796 (Closed): As Roger I want a flexible and powerful TCA Concept in order to define my objects

Status:	Closed	Priority:	Could have	
Author:	Sebastian Kurfuerst	Category:	UI	
Created:	2010-07-03	Assigned To:		
Updated:	2011-09-07	Due date:		
Subject:	Use the permission model inside JavaScript			
Description				
-				
We (Andi, Sebas	tian, Patrick, Karsten), discussed this a	t t3dd.		

1. enhance the policy system that you can add something like (... && UserInterface(F3.TYPO3.[someComponent]), and if this component is ACCESS\_DENY, then this sould be transferred to a JSON array.

- 1. TODO: Improve the way we can write that.
- 2. in Application.bootstrap, we will only run bootstrappers in case they are not denied.
- 3. We will add all DENIED resources to every Domain Object we transfer to the client side (be it via JSON, Page Template, ...)

4. JavaScript will update its permissions (f.e. "currentPage.permissions"), and if the permissions change, this will trigger change events. Components can listen to this and react appropriately (i.e. disable/enable the button).

#### History

## #1 - 2010-10-21 10:51 - Sebastian Kurfuerst

- Parent task set to #8796

#### #2 - 2011-05-10 08:44 - Sebastian Kurfuerst

- Project changed from Base Distribution to TYPO3.Neos

### #3 - 2011-05-10 08:50 - Sebastian Kurfuerst

- Category set to UI
- Priority changed from Should have to Could have

#### #4 - 2011-09-07 16:07 - Sebastian Kurfuerst

- Status changed from New to Closed

Closing issue because it is either obsolete in the new FE architecture, or duplicate.