

TYPO3.Fluid - Feature # 8852

Status:	Resolved	Priority:	Should have
Author:	Bastian Waidelich	Category:	Core
Created:	2010-07-14	Assigned To:	Bastian Waidelich
Updated:	2010-10-20	Due date:	
Has patch:			
Subject:	Add method overrideArgument() to AbstractViewHelper		
Description			
When registering an argument twice, you'll get an exception			
#1253036401: Argument "xyz" has already been defined, thus it should not be defined again.			
That's intended, but we need the possibility to override argument registrations (e.g. for the form.checkbox vh that sets the "value" argument required)			

Associated revisions

Revision 8cb5a00c - 2010-07-15 19:18 - Bastian Waidelich

[!!!][+TASK] Fluid (ViewHelpers): The value argument is required again in form.checkbox and form.radio ViewHelpers. This is a breaking change, as the value argument has not been mandatory for a while. But it probably won't break existing templates as omitting the value makes no sense at all.

Relates to #8852

[+FEATURE] Fluid (Core): implemented overrideArgument() method in AbstractViewHelper to be able to override previously registered arguments in subclasses. This resolves #8852

[+BUGFIX] Fluid (Core): Negative numeric values are properly converted to FALSE when used in boolean ViewHelper arguments. This resolves #8893

History

#1 - 2010-07-15 19:19 - Bastian Waidelich

- Status changed from Accepted to Resolved

- % Done changed from 0 to 100

Applied in changeset r4864.