

TYPO3.Fluid - Bug # 8880

| | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|---------------------|-------------------|
| Status: | Resolved | Priority: | Should have |
| Author: | Andreas Wolf | Category: | ViewHelpers |
| Created: | 2010-07-15 | Assigned To: | Bastian Waidelich |
| Updated: | 2010-10-20 | Due date: | |
| Has patch: | | | |
| Affected Flow version: | | | |
| Subject: | Be.ContainerViewHelper renders page header too early | | |
| Description | | | |
| <p>It is currently impossible to add something to the pageRenderer object in a child view helper of a Be.ContainerViewHelper. This is due to the children being rendered after the header has been rendered.</p> <p>This bug makes it impossible to e.g. add new JS files inside child view helpers, for example inside a backported includeJavaScript view helper.</p> <p>Solution: Just reverse the order in which the header and the children are rendered.</p> | | | |

History

#1 - 2010-07-15 13:59 - Andreas Wolf

- File f0008880.diff added

#2 - 2010-07-19 10:14 - Bastian Waidelich

- Status changed from New to Resolved

- Assigned To set to Bastian Waidelich

- % Done changed from 0 to 100

Applied with changeset r2417

Files

| | | | |
|---------------|-----------|------------|--------------|
| f0008880.diff | 620 Bytes | 2010-07-15 | Andreas Wolf |
|---------------|-----------|------------|--------------|