Core - Bug # 52206

Epic # 68397 (In Progress): Make TYPO3 work with MySQL strict mode

Status:	Resolved	Priority:	Should hav	'e
Author:	Stefan Neufeind	Category:		
Created:	2013-09-24	Assigned To:		
Updated:	2015-07-21	Due date:		
TYPO3 Version:	6.2			
PHP Version:				
Complexity:				
Is Regression:	No			
Sprint Focus:				
Subject:	Default-values for text-fields			
Description				
Unfortunately MySQ Upon insertion of a n	ields don't have a default-value. phpMy/ L (still) does not support default-values for new content-element (a plugin in this cas	or BLOB/TEXT (see bug e) I got:	ıs.mysql.com/bug.p	
Unfortunately MySQ Upon insertion of a r SQL error: 'Field 'file This can be prevente typo3/sysext/frontene	L (still) does not support default-values for	or BLOB/TEXT (see bug e) I got: e' (tt_content:NEW5240c g) in the TCA-definition f	ıs.mysql.com/bug.p 411f10d4) for that column (in	hp?id=21532).
Unfortunately MySQ Upon insertion of a r SQL error: 'Field 'file This can be prevente typo3/sysext/frontene I expect this is true fo	L (still) does not support default-values for new content-element (a plugin in this cas link_sorting' doesn't have a default value ed by adding a default-value (empty strin d/Configuration/TCA/tt_content.php).	or BLOB/TEXT (see bug e) I got: s' (tt_content:NEW5240c g) in the TCA-definition f red since some newer M	ıs.mysql.com/bug.p 411f10d4) for that column (in	hp?id=21532).
Unfortunately MySQ Upon insertion of a r SQL error: 'Field 'file This can be prevente typo3/sysext/frontene I expect this is true fo	L (still) does not support default-values for new content-element (a plugin in this case link_sorting' doesn't have a default value ed by adding a default-value (empty strin d/Configuration/TCA/tt_content.php). or versions down to 4.5 and is just trigge	or BLOB/TEXT (see bug e) I got: s' (tt_content:NEW5240c g) in the TCA-definition f red since some newer M	ıs.mysql.com/bug.p 411f10d4) for that column (in	hp?id=21532).
Unfortunately MySQ Upon insertion of a r SQL error: 'Field 'file This can be prevente typo3/sysext/frontene I expect this is true for Happens here on Fe Related issues:	L (still) does not support default-values for new content-element (a plugin in this case link_sorting' doesn't have a default value ed by adding a default-value (empty strin d/Configuration/TCA/tt_content.php). or versions down to 4.5 and is just trigge	or BLOB/TEXT (see bug e) I got: e' (tt_content:NEW5240c g) in the TCA-definition f red since some newer M 19.	ıs.mysql.com/bug.p 411f10d4) for that column (in	hp?id=21532).
Unfortunately MySQ Upon insertion of a r SQL error: 'Field 'file This can be prevente typo3/sysext/frontene I expect this is true for Happens here on Fe Related issues: related to Core - Bug #	L (still) does not support default-values for new content-element (a plugin in this case link_sorting' doesn't have a default value ed by adding a default-value (empty strin d/Configuration/TCA/tt_content.php). or versions down to 4.5 and is just trigge dora 19 with mariadb-server-5.5.32-8.fc	or BLOB/TEXT (see bug e) I got: s' (tt_content:NEW5240c ng) in the TCA-definition f red since some newer M 19.	is.mysql.com/bug.p 411f10d4) for that column (in lySQL/MariaDB-rele	hp?id=21532). ease.
Unfortunately MySQ Upon insertion of a r SQL error: 'Field 'file This can be prevente typo3/sysext/frontene I expect this is true for Happens here on Fe Related issues: related to Core - Bug # related to Core - Task #	L (still) does not support default-values for new content-element (a plugin in this case link_sorting' doesn't have a default value ed by adding a default-value (empty strin d/Configuration/TCA/tt_content.php). For versions down to 4.5 and is just trigge dora 19 with mariadb-server-5.5.32-8.fc 16809: FIX FOR Typo3 basic tables definition	or BLOB/TEXT (see bug e) I got: s' (tt_content:NEW5240c g) in the TCA-definition f red since some newer M 19.	s.mysql.com/bug.p 411f10d4) for that column (in lySQL/MariaDB-rele Closed	hp?id=21532). ease. 2006-12-22

Associated revisions

Revision 87af9d6d - 2015-07-21 02:41 - Morton Jonuschat

[BUGFIX] Provide default value for field tt_content.filelink_sorting

Changing the field type for filelink_sorting to a text type that supports a default value allows inserts into tt_content to succeed when no sorting option was provided, fixing problems with MySQL strict mode.

Resolves: #67186 Resolves: #52206 Releases: master Change-ld: le9a06fff14ec62c9cbc8d15cc957f5fcbe698393 Reviewed-on: http://review.typo3.org/41756 Reviewed-by: Wouter Wolters <<u>typo3@wouterwolters.nl</u>> Reviewed-by: Daniel Goerz <<u>ervaude@gmail.com</u>> Reviewed-by: Stefan Neufeind <<u>typo3.neufeind@speedpartner.de</u>> Tested-by: Stefan Neufeind <<u>typo3.neufeind@speedpartner.de</u>>

History

#1 - 2013-09-24 01:17 - Stefan Neufeind

Turns out that from recent system-environment-testing I still had "sql-mode = STRICT_ALL_TABLES" in my.cnf. Removing that makes the problem go away. Still fix it since it's "wrong"?

#2 - 2014-01-09 18:18 - Ernesto Baschny

- Status changed from New to Accepted

Making TYPO3 compatible with MySQL strict mode is probably a huge challenge that we might want to take some time. But not for 6.2. Which is why I added #54883 suggesting to at least document the fact more clearly and officially.

#3 - 2014-09-12 15:50 - Oliver Eglseder

Just for information

sql_mode=STRICT_TRANS_TABLES reproduces this issue ('Field 'filelink_sorting' doesn't have a default value')

#4 - 2014-09-12 15:53 - Stefan Neufeind

But that's not a default-configuration value, or is it on your platform? Does the install-tool point you towards the problem with a recommendation to change that setting maybe?

#5 - 2014-12-08 09:30 - Hallvard Nygård

It's default when installing MySQL 5.5 on Windows using Windows Platform installer

C:\Program Files\MySQL\MySQL Server 5.5\my.ini:

sql-mode="STRICT_TRANS_TABLES,NO_AUTO_CREATE_USER,NO_ENGINE_SUBSTITUTION"

Worked after changing it to:

sql-mode="NO_AUTO_CREATE_USER,NO_ENGINE_SUBSTITUTION"

#6 - 2015-01-23 15:39 - Mateusz Wojtuła

Hello,

I have got the same error on Ubuntu 14.04.1 LTS, mysql Ver 14.14 Distrib 5.5.40, for debian-linux-gnu (x86_64) using readline 6.3. Disabling STRICT_ALL_TABLES in mysql configuration solve this bug.

#7 - 2015-06-02 19:17 - Simon Schaufelberger

push. Can this go into 7.x?

#8 - 2015-07-03 18:36 - Hsu Yiming

- File 2015-07-04 . . 12.36.59.png added

${\tt sql_mode=NO_ENGINE_SUBSTITUTION, STRICT_ALL_TABLES, STRICT_TRANS_TABLES}$

0002000(000)

1. STRICT_ALL_TABLES

2. STRICT_TRANS_TABLES

#9 - 2015-07-20 19:42 - Morton Jonuschat

- Parent task set to #68397

#10 - 2015-07-20 22:39 - Gerrit Code Review

- Status changed from Accepted to Under Review

Patch set 2 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at http://review.typo3.org/41756

#11 - 2015-07-21 02:43 - Morton Jonuschat

- Status changed from Under Review to Resolved

- % Done changed from 0 to 100

Applied in changeset commit:87af9d6d7bfddc531d0a07541b0274d84cc07c11.

Files

0000 2015-07-04 00 12.36.59.png

91.3 kB

2015-07-03

Hsu Yiming